

MONTHLY eSMR SUMMARY

Expected Requirements

M-001:

| | | |
|------------------------------|-----------|-----------|
| Chlorine Usage | 1 / Day | lb/day |
| Flow | 5 / Week | MGD |
| Temperature | 5 / Week | Degrees F |
| pH | 5 / Week | SU |
| Chlorine, Total Residual | 5 / Week | mg/L |
| Total Dissolved Solids (TDS) | 2 / Month | mg/L |
| Iron, Total | 2 / Month | mg/L |
| Total Suspended Solids (TSS) | 2 / Month | mg/L |
| Nitrate, Total (as N) | 1 / Month | mg/L |
| Nitrite, Total (as N) | 1 / Month | mg/L |
| Ammonia, Total (as N) | 1 / Month | mg/L |
| Nitrogen, Total (as N) | 1 / Month | mg/L |
| Phosphorus, Total (as P) | 1 / Month | mg/L |
| Orthophosphate, Total (as P) | 1 / Month | mg/L |
| Copper, Total Recoverable | 1 / Month | ug/L |
| Cyanide, Total Recoverable | 1 / Month | ug/L |
| Nickel, Total Recoverable | 1 / Month | ug/L |
| Selenium, Total Recoverable | 1 / Month | ug/L |
| Thallium, Total Recoverable | 1 / Month | ug/L |
| Zinc, Total Recoverable | 1 / Month | ug/L |

Using Narratives Tab:

N/A

Using Pre-Calculated Tab:

N/A